





Measurement of Light Ion Fragmentation Cross Sections for Particle Therapy and Space Radio-protection Applications



$E < 430 \text{ MeV/u}$




$E < 800 \text{ MeV/u}$



Particle Therapy Treatment Plans do not account for beam-induced tissue fragmentation, because there exist no accurate measurement of fragmentation cross sections




Spacecraft shielding design does not account for fragmentation, because there exist no accurate measurement of fragmentation cross sections

Inverse Kinematics, to make the fragments detectable




$$\frac{d\sigma}{d\Omega}(H) = \frac{1}{4} \cdot \left(\frac{d\sigma}{d\Omega}(C_2H_4) - 2 \cdot \frac{d\sigma}{d\Omega}(C) \right)$$

The FOOT spectrometer




FOOT: International collaboration with about 100 members

INFN-Torino is responsible for the calorimeter, a segmented BGO detector composed of 320 crystals



Calorimeter response (non) linearity



Calorimeter energy resolution

Bachelor thesis: characterization and energy calibration of the calorimeter

Master thesis: data analysis of ^{12}C fragmentation, based on 2023-2024 CNAO data takings

Contacts:

Francesca Cavanna (cavanna@to.infn.it)

Piergiorgio Cerello (cerello@to.infn.it)

Luciano Ramello (ramello@to.infn.it)